



**PROCUREMENT OF AI EQUIPMENT  
FOR ANIMAL BREEDING  
DIVISION- 2026.**

**(1). Tweezers - (100 Numbers)**

<b>Specification</b>	<b>Bidder's response (Yes / No)</b>	<b>If No, comments</b>
<ul style="list-style-type: none"><li>• Tweezers should be properly proportioned.</li></ul>		
<ul style="list-style-type: none"><li>• 6.5" long stainless-steel tweezer for quick &amp; easy removal of frozen semen straws from semen canisters.</li></ul>		
<ul style="list-style-type: none"><li>• It should be shaped with a special symmetrically grooved tip that grips &amp; surrounds the straw, yet does not crush it.</li></ul>		
<ul style="list-style-type: none"><li>• Instrument should not be transmitted heat or cold and should be resistant to damage at the liquid Nitrogen temperature.</li></ul>		
<b>Warranty Period</b>		
<b>Make/Model</b>		
<b>Country of origin</b>		
<b>** Sample should be submitted within two (02) weeks of bid opening date. Otherwise bidding documents will be rejected after due date **</b>		
<b>Unit Price without VAT (Rs)</b>		
<b>Total Price without VAT (Rs)</b>		
<b>Unit Price with VAT (Rs)</b>		
<b>Total Price with VAT (Rs)</b>		

**(2.) Goat Vaginal Speculum with Light – (100 Numbers)**

<b>Specification</b>	<b>Bidder's response (Yes / No)</b>	<b>If No, comments</b>
<ul style="list-style-type: none"><li>• The speculum should be suitable for Caprine gynaecological examination &amp; Artificial Insemination.</li></ul>		
<ul style="list-style-type: none"><li>• It should be Duck bill shaped &amp; should be provided easy insertion, comfortable vaginal expansion within the doe &amp; one hand operation.</li></ul>		
<ul style="list-style-type: none"><li>• Suitable light source should be coupled to the Speculum (<b>Battery operated light source</b>).</li></ul>		
<ul style="list-style-type: none"><li>• Length -approximately 200 mm</li></ul>		
<ul style="list-style-type: none"><li>• Made up of stainless steel, chromium plated or plastic plated for smooth surface</li></ul>		
<b>Warranty Period</b>		
<b>Make/Model</b>		
<b>Country of origin</b>		
<b>** Sample should be submitted within two (02) weeks of bid opening date. Otherwise bidding documents will be rejected after due date **</b>		
<b>Unit Price without VAT (Rs)</b>		
<b>Total Price without VAT (Rs)</b>		
<b>Unit Price with VAT (Rs)</b>		
<b>Total Price with VAT (Rs)</b>		

**(3.) Shoulder Length Five Finger Gloves – (150,000 Numbers)**

<b>Specification</b>	<b>Bidder's response (Yes / No)</b>	<b>If No, comments</b>
<ul style="list-style-type: none"><li>• The gloves should be suitable to use in Artificial Insemination &amp; per-rectal examination of the reproductive organs of the ruminants.</li></ul>		
<ul style="list-style-type: none"><li>• Sealed edges of the glove should be smooth to prevent the damage to the rectal wall of the animal.</li></ul>		
<ul style="list-style-type: none"><li>○ Length -(90 – 95) cm</li></ul>		
<ul style="list-style-type: none"><li>○ Weight - should not be more than 8.5g</li></ul>		
<ul style="list-style-type: none"><li>○ Resistance-150gm/cm<sup>2</sup></li></ul>		
<ul style="list-style-type: none"><li>○ Transparency-50</li></ul>		
<ul style="list-style-type: none"><li>○ Thickness -should be (26 –28) microns</li></ul>		
<ul style="list-style-type: none"><li>○ Material- high quality polyethylene</li></ul>		
<ul style="list-style-type: none"><li>• Should be packed in 50 or 100 gloves per box.</li></ul>		
<b>Make/Model</b>		
<b>Country of origin</b>		
<b>** Sample should be submitted within two (02) weeks of bid opening date. Otherwise bidding documents will be rejected after due date **</b>		
<b>Unit Price without VAT (Rs)</b>		
<b>Total Price without VAT (Rs)</b>		
<b>Unit Price with VAT (Rs)</b>		
<b>Total Price with VAT (Rs)</b>		

**(4.) Sanitary Sleeve- (1,000 Packs)**

<b>Specification</b>	<b>Bidder's response (Yes / No)</b>	<b>If No, comments</b>
<ul style="list-style-type: none"><li>• Material made of thin flexible &amp; sterile plastic material.</li></ul>		
<ul style="list-style-type: none"><li>• Size typically around 46 cm long to fully cover the Artificial Insemination Gun.</li></ul>		
<ul style="list-style-type: none"><li>• Feature -may have a finger slit at the lower end to aid in manipulation during Insemination.</li></ul>		
<ul style="list-style-type: none"><li>• Application- slipped over the Insemination Gun after its loaded with the semen straw.</li></ul>		
<ul style="list-style-type: none"><li>• Availability- 80 to 100 sheaths should be in one pack.</li></ul>		
<b>Make/Model</b>		
<b>Country of origin</b>		
<b>** Sample should be submitted within two (02) weeks of bid opening date. Otherwise bidding documents will be rejected after due date **</b>		
<b>Unit Price without VAT (Rs)</b>		
<b>Total Price without VAT (Rs)</b>		
<b>Unit Price with VAT (Rs)</b>		
<b>Total Price with VAT (Rs)</b>		

**(5.) Goat Artificial Insemination Gun – (100 Numbers)**

<b>Specification</b>	<b>Bidder's response (Yes / No)</b>	<b>If No, comments</b>
<ul style="list-style-type: none"><li>• Material -Made out of stainless steel.</li></ul>		
<ul style="list-style-type: none"><li>• Goat Artificial Insemination guns to be used with the 0.25ml frozen semen straws for goat Artificial insemination.</li></ul>		
<ul style="list-style-type: none"><li>• Auto-lock mechanism for secure straw retention.</li></ul>		
<ul style="list-style-type: none"><li>• Dimensions:<ul style="list-style-type: none"><li>○ Barrel length-approximately 440mm,</li></ul></li></ul>		
<ul style="list-style-type: none"><li><ul style="list-style-type: none"><li>○ Outer diameter - approximately 3.70mm</li></ul></li></ul>		
<ul style="list-style-type: none"><li><ul style="list-style-type: none"><li>○ Total plunger length- approximately 450mm.</li></ul></li></ul>		
<ul style="list-style-type: none"><li>• Weight: approximately 45g.</li></ul>		
<b>Warranty Period</b>		
<b>Make/Model</b>		
<b>Country of origin</b>		
<b>** Sample should be submitted within two (02) weeks of bid opening date. Otherwise bidding documents will be rejected after due date **</b>		
<b>Unit Price without VAT (Rs)</b>		
<b>Total Price without VAT (Rs)</b>		
<b>Unit Price with VAT (Rs)</b>		
<b>Total Price with VAT (Rs)</b>		

**(6.) Artificial Insemination Mini Gun Ring -(50 Numbers.)**

<b>Specification</b>	<b>Bidder's response (Yes / No)</b>	<b>If No, comments</b>
<ul style="list-style-type: none"><li>• A strong plastic ring to fix the AI sheath over the AI Mini gun when in use.</li></ul>		
<ul style="list-style-type: none"><li>• Should prevent slippage of the AI sheath during the AI procedure.</li></ul>		
<b>Warranty Period</b>		
<b>Make/Model</b>		
<b>Country of origin</b>		
<b>** Sample should be submitted within two (02) weeks of bid opening date. Otherwise bidding documents will be rejected after due date **</b>		
<b>Unit Price without VAT (Rs)</b>		
<b>Total Price without VAT (Rs)</b>		
<b>Unit Price with VAT (Rs)</b>		
<b>Total Price with VAT (Rs)</b>		

**(7.) Goat Artificial Insemination Sheath – (2,000 Numbers)**

<b>Specification</b>	<b>Bidder's response (Yes / No)</b>	<b>If No, comments</b>
<ul style="list-style-type: none"><li>Goat Artificial Insemination sheath should be designed for 0.25ml semen straws.</li></ul>		
<ul style="list-style-type: none"><li>The tip of the Goat AI sheath should be rounded type or tapered (apex tapered to a small diameter) type to allow dispensing semen at the cervix. (The AI Sheath should be compatible to Goat AI guns that has been using in the field)</li></ul>		
<ul style="list-style-type: none"><li>The interior of the tip should be designed to center-seat 0.25ml size semen straws.</li></ul>		
<ul style="list-style-type: none"><li>Material-typically made from PVC &amp; sheath should be smooth.</li></ul>		
<ul style="list-style-type: none"><li>The sheath should be packed either as bundles or as individual sheath.</li></ul>		
<b>Make/Model</b>		
<b>Country of origin</b>		
<b>** Sample should be submitted within two (02) weeks of bid opening date. Otherwise bidding documents will be rejected after due date **</b>		
<b>Unit Price without VAT (Rs)</b>		
<b>Total Price without VAT (Rs)</b>		
<b>Unit Price with VAT (Rs)</b>		
<b>Total Price with VAT (Rs)</b>		

**(8.) Goblet Forceps (Straight End) (Approximately 250mm) – (12 Number)**

<b>Specification</b>	<b>Bidder's response (Yes/No)</b>	<b>If No, comment</b>
<ul style="list-style-type: none"><li>• Length - 250mm</li></ul>		
<ul style="list-style-type: none"><li>• Curvature – straight</li></ul>		
<ul style="list-style-type: none"><li>• Working surface style -Serrated</li></ul>		
<ul style="list-style-type: none"><li>• Material -Stainless steel</li></ul>		
<ul style="list-style-type: none"><li>• Disposable or reusable type -Reusable</li></ul>		
<ul style="list-style-type: none"><li>• Latex or latex free- Latex - free</li></ul>		
<ul style="list-style-type: none"><li>• Grade - Premium OR-Grade</li></ul>		
<b>Warranty Period</b>		
<b>Brand</b>		
<b>Country of Origin</b>		
<b>** Sample should be submitted within two (02) weeks of bid opening date. Otherwise bidding documents will be rejected after due date **</b>		
<b>Unit Price without VAT (Rs)</b>		
<b>Total Price without VAT (Rs)</b>		
<b>Unit Price with VAT (Rs)</b>		
<b>Total Price with VAT (Rs)</b>		



**(9.) Goblet Forceps (Curved End) (Approximately 200mm) – (10 Numbers)**

Specification	Bidder's response (Yes/No)	If No, comment
• Length - 200mm		
• Curvature - curved		
• Working surface style -Serrated		
• Material -Stainless steel		
• Disposable or reusable -Reusable		
• Latex or latex free-Latex - free		
• Grade - Premium OR-Grade		
<b>Warranty Period</b>		
<b>Brand</b>		
<b>Country of Origin</b>		
<b>** Sample should be submitted within two (02) weeks of bid opening date. Otherwise bidding documents will be rejected after due date **</b>		
<b>Unit Price without VAT (Rs)</b>		
<b>Total Price without VAT (Rs)</b>		
<b>Unit Price with VAT (Rs)</b>		
<b>Total Price with VAT (Rs)</b>		



**(10.) Silicon Cone for Artificial Vagina (AV) - (30 Numbers)**

<b>Specification</b>	<b>Bidder's response (Yes / No)</b>	<b>If No, comments</b>
<ul style="list-style-type: none"><li>• Silicone cone to connect to the artificial vagina for bovine semen collection</li></ul>		
<ul style="list-style-type: none"><li>• Surface should be smooth inside and outside without any pinhole's pits, cracks, grooves &amp; other surface defects.</li></ul>		
<ul style="list-style-type: none"><li>• It can bear autoclaving for 30 minutes at 100KPA Pressure.</li></ul>		
<ul style="list-style-type: none"><li>• Edges are rounded outwards at both ends.</li></ul>		
<ul style="list-style-type: none"><li>• The Cone is non collapsible and self-drying type.</li></ul>		
<ul style="list-style-type: none"><li>• Colour- Transparent</li></ul>		
<ul style="list-style-type: none"><li>• Material – Silicone</li></ul>		
<ul style="list-style-type: none"><li>• Length – approximately 200 mm</li></ul>		
<ul style="list-style-type: none"><li>• Tip diameter- approximately 16 mm</li></ul>		
<ul style="list-style-type: none"><li>• Opening diameter- approximately 50 mm</li></ul>		
<b>Warranty Period</b>		
<b>Make/Model</b>		
<b>Country of origin</b>		
<b>** Sample should be submitted within two (02) weeks of bid opening date. Otherwise bidding documents will be rejected after due date **</b>		
<b>Unit Price without VAT (Rs)</b>		
<b>Total Price without VAT (Rs)</b>		
<b>Unit Price with VAT (Rs)</b>		
<b>Total Price with VAT (Rs)</b>		

**(11). Field Liquid Nitrogen Containers (1.5 Capacity) – (100 Numbers)**

Specification	Bidder's response (Yes / No)	If No, comments
<ul style="list-style-type: none"> <li>Made with Stainless steel or sturdy Aluminum &amp; carrying bag should be provided.</li> </ul>		
<ul style="list-style-type: none"> <li>Goblets for each canister should be provided with the container.</li> </ul>		
<ul style="list-style-type: none"> <li>The neck tube should be high strength and reduce liquid Nitrogen loss &amp; it should have durable, tamper-proof lid.</li> </ul>		
<ul style="list-style-type: none"> <li>Performance- -Static evaporation loss rate- (0.06 – 0.1) lit. /day -Static holding time -(15 – 25) days</li> </ul>		
<ul style="list-style-type: none"> <li>Unit Dimensions- -Capacity-1.5L</li> </ul>		
-Empty weight-(1.5 – 2.5) kg.		
-Full weight-(2.5 – 3.5) kg.		
-Neck diameter-(30 – 35) mm		
-Outer diameter-(170 – 180) mm		
-Total height-(365 – 385) mm		
-No. of canisters -(3 – 6)		
-Canister height- not more than 120mm		
-Straw holding capacity at single level- (75 – 150) mini straws		
<ul style="list-style-type: none"> <li><b>Minimum one year warranty against defects arising from manufacturer or omission of seller &amp; five-year vacuum warranty.</b></li> </ul>		
<ul style="list-style-type: none"> <li><b>Serial number should be embossed on the surface of the container which should be easily visible.</b></li> </ul>		
<b>Make/Model</b>		
<b>Country of origin</b>		
<b>** Sample should be submitted within two (02) weeks of bid opening date. Otherwise bidding documents will be rejected after due date **</b>		
<b>Unit Price without VAT (Rs)</b>		
<b>Total Price without VAT (Rs)</b>		
<b>Unit Price with VAT (Rs)</b>		
<b>Total Price with VAT (Rs)</b>		

**(12.) Thaw Monitors – (100 numbers)**

<b>Specification</b>	<b>Bidder's response (Yes / No)</b>	<b>If No, comments</b>
<ul style="list-style-type: none"><li>• A triple laminated liquid crystal temperature indicator.</li></ul>		
<ul style="list-style-type: none"><li>• It should be highly accurate strip and should be unbreakable.</li></ul>		
<ul style="list-style-type: none"><li>• It should be design to fit in all brand of Semen Thawing units.</li></ul>		
<ul style="list-style-type: none"><li>• It should be water resistant.</li></ul>		
<b>Warranty Period</b>		
<b>Make/Model</b>		
<b>Country of origin</b>		
<b>** Sample should be submitted within two (02) weeks of bid opening date. Otherwise bidding documents will be rejected after due date **</b>		
<b>Unit Price without VAT (Rs)</b>		
<b>Total Price without VAT (Rs)</b>		
<b>Unit Price with VAT (Rs)</b>		
<b>Total Price with VAT (Rs)</b>		


**(13.) Straw Cutter - (100 numbers)**

<b>Specification</b>	<b>Bidder's response (Yes / No)</b>	<b>If no, comments</b>
<ul style="list-style-type: none"><li>• The unit should be able to quick cut off the sealed end of semen straws.</li></ul>		
<ul style="list-style-type: none"><li>• The unit should have two insertions for 0.25ml and 0.5ml semen straws &amp; after insertion of straws; there should be a button to push for cut the straw at the proper length.</li></ul>		
<ul style="list-style-type: none"><li>• It should be able to disassemble for cleaning and disinfection.</li></ul>		
<ul style="list-style-type: none"><li>• It should be made of non-corrosive durable plastic with stainless steel blade.</li></ul>		
<ul style="list-style-type: none"><li>• Individually wrapped is required for cleanliness.</li></ul>		
<b>Make/Model</b>		
<b>Country of origin</b>		
<b>** Sample should be submitted within two (02) weeks of bid opening date. Otherwise bidding documents will be rejected after due date **</b>		
<b>Unit Price without VAT (Rs)</b>		
<b>Total Price without VAT (Rs)</b>		
<b>Unit Price with VAT (Rs)</b>		
<b>Total Price with VAT (Rs)</b>		

**(14.) Thawing Unit (Digital) – (100 numbers)**

<b>Specification</b>	<b>Bidder's response (Yes / No)</b>	<b>If No, comments</b>
<ul style="list-style-type: none"><li>• Material-Durable, very lightweight (500-600g) &amp; non- corrosive ABS plastic.</li></ul>		
<ul style="list-style-type: none"><li>• Design- Should contain inbuilt vibrator for uniform heating, lift -out semen straw basket &amp; should be water &amp; dust proof.</li></ul>		
<ul style="list-style-type: none"><li>• Accuracy- high precision &amp; should supply precise temperature control for semen thawing.</li></ul>		
<ul style="list-style-type: none"><li>• Display- Digital LED screen indicating water temperature &amp; timer.</li></ul>		
<ul style="list-style-type: none"><li>• Battery- inbuilt battery for 20-30 cycles per charge.</li></ul>		
<ul style="list-style-type: none"><li>• Design- Compact and portable for easy handling and transport</li></ul>		
<ul style="list-style-type: none"><li>• Capacity- (4-10) straws at a time</li></ul>		
<ul style="list-style-type: none"><li>• Thaw monitor should be highly accurate unbreakable strip &amp; It should be water resistant.</li></ul>		
<ul style="list-style-type: none"><li>• Dimensions-Approx. 6 x 6 x 8 inches</li></ul>		
<ul style="list-style-type: none"><li>• Manual-Provided with detailed usage, maintenance, and safety instructions</li></ul>		
<ul style="list-style-type: none"><li>• Cleaning- should be easy to dis-assemble and clean the components</li></ul>		
<b>Warranty Period</b>		
<b>Make/Model</b>		
<b>Country of origin</b>		
<b>** Sample should be submitted within two (02) weeks of bid opening date. Otherwise bidding documents will be rejected after due date **</b>		
<b>Unit Price without VAT (Rs)</b>		
<b>Total Price without VAT (Rs)</b>		
<b>Unit Price with VAT (Rs)</b>		
<b>Total Price with VAT (Rs)</b>		

**(15.) Nose Rings for Bulls – (50 Numbers)**

Specification	Bidder's response (Yes / No)	If no, comments
 <ul style="list-style-type: none"> <li>• Ring with screw lock, there should be a Hinge and should be made out of stainless steel</li> </ul>		
<ul style="list-style-type: none"> <li>• Inside diameter approximately 80 mm / 3.15 inc.</li> </ul>		
<ul style="list-style-type: none"> <li>• Outside diameter approximately 100 mm / 3.93 inch</li> </ul>		
<ul style="list-style-type: none"> <li>• Tube diameter approx. 8 -10 mm</li> </ul>		
<ul style="list-style-type: none"> <li>• One end should be sharpened to pears the nasal septum.</li> </ul>		
<p align="center"><b>Make/Model</b></p>		
<p align="center"><b>Country of origin</b></p>		
<p><b>** Sample should be submitted within two (02) weeks of bid opening date. Otherwise bidding documents will be rejected after due date **</b></p>		
<p><b>Unit Price without VAT (Rs)</b></p>		
<p><b>Total Price without VAT (Rs)</b></p>		
<p><b>Unit Price with VAT (Rs)</b></p>		
<p><b>Total Price with VAT (Rs)</b></p>		

**(16.) Mini Straws– (250,000 Numbers)**

<b>Specification</b>	<b>Bidder's response (Yes/No)</b>	<b>If No, comments</b>
<ul style="list-style-type: none"><li>• Straws suitable for deep freezing &amp; storage of semen straw capacity 0.25ml.</li></ul>		
<ul style="list-style-type: none"><li>• Provided with a plug at one end consisting of two small cotton plugs entrapping sufficient amount of PVC powder to seal the end after filling.</li></ul>		
<ul style="list-style-type: none"><li>• Straw length - approximately 135 mm.</li></ul>		
<ul style="list-style-type: none"><li>• diameter (inner) -approximately 1.6 mm.</li></ul>		
<ul style="list-style-type: none"><li>• The straws should be clean &amp; sterilized</li></ul>		
<ul style="list-style-type: none"><li>• pack consisting of 2000 straws.</li></ul>		
<ul style="list-style-type: none"><li>• Should be compatible with "Minitube" Filling Sealing &amp; Printing machines</li></ul>		
<ul style="list-style-type: none"><li>• Mention Available Colours</li></ul>		
<b>Make/Model</b>		
<b>Country of origin</b>		
<b>** Sample should be submitted within two (02) weeks of bid opening date. Otherwise bidding documents will be rejected after due date **</b>		
<b>Unit Price without VAT (Rs)</b>		
<b>Total Price without VAT (Rs)</b>		
<b>Unit Price with VAT (Rs)</b>		
<b>Total Price with VAT (Rs)</b>		

**(17.) Embryo Transfer Sheaths (Trans-fit Lateral Sheath) - (200 Numbers)**

<b>Specification</b>	<b>Bidder's response (Yes / No)</b>	<b>If No, comments</b>
<ul style="list-style-type: none"><li>• Application: Transfer of bovine embryos.</li></ul>		
<ul style="list-style-type: none"><li>• Design Features: Specialized sheath with lateral opening and metal tip</li></ul>		
<ul style="list-style-type: none"><li>• Compatibility: Designed for use with 0.25 ml Mini-Straws</li></ul>		
<ul style="list-style-type: none"><li>• Material Properties:<ul style="list-style-type: none"><li>• Precision-manufactured for smooth embryo transfer procedures</li></ul></li></ul>		
<ul style="list-style-type: none"><li>• Visual Characteristics: Elongated transparent tube with metal tip.</li></ul>		
<ul style="list-style-type: none"><li>• Sterilization: Pre-sterilized for immediate clinical use</li></ul>		
<ul style="list-style-type: none"><li>• Package Configuration: 5 sheaths per package</li></ul>		
<b>Make/Model</b>		
<b>Country of origin</b>		
<b>** Sample should be submitted within two (02) weeks of bid opening date. Otherwise bidding documents will be rejected after due date **</b>		
<b>Unit Price without VAT (Rs)</b>		
<b>Total Price without VAT (Rs)</b>		
<b>Unit Price with VAT (Rs)</b>		
<b>Total Price with VAT (Rs)</b>		

**(18.) Visual AI Gun- (100 Numbers)**

<b>Specification</b>	<b>Bidder's response (Yes / No)</b>	<b>If No, comments</b>
<ul style="list-style-type: none"><li>• Durability- water proof design.</li></ul>		
<ul style="list-style-type: none"><li>• Components- protective storage box, charger, disposable catheters.</li></ul>		
<ul style="list-style-type: none"><li>• Screen resolution- 120°-180° up /down &amp; 270° left / right.</li></ul>		
<ul style="list-style-type: none"><li>• Screen size- 3.5” – 4.3” LCD</li></ul>		
<ul style="list-style-type: none"><li>• Cameras- water proof with cold light source</li></ul>		
<ul style="list-style-type: none"><li>• Probe material-stainless steel</li></ul>		
<ul style="list-style-type: none"><li>• Probe diameter-approximately 10-15mm</li></ul>		
<ul style="list-style-type: none"><li>• Total length- approximately 34 - 45 cm</li></ul>		
<ul style="list-style-type: none"><li>• Power supply- rechargeable battery</li></ul>		
<ul style="list-style-type: none"><li>• Storage- support to SD card and to be connected to the computer</li></ul>		
<ul style="list-style-type: none"><li>• Temperature- constant heat that close to body temperature.</li></ul>		
<ul style="list-style-type: none"><li>• Built in air duct for cleaning of water or mucus vapor.</li></ul>		
<ul style="list-style-type: none"><li>• Vibration massage for uterine relaxation.</li></ul>		
<ul style="list-style-type: none"><li>• Real time viewing, photos, video recording &amp; playback.</li></ul>		
<b>Warranty Period</b>		
<b>Make/Model</b>		
<b>Country of origin</b>		
<b>** Sample should be submitted within two (02) weeks of bid opening date. Otherwise bidding documents will be rejected after due date **</b>		
<b>Unit Price without VAT (Rs)</b>		
<b>Total Price without VAT (Rs)</b>		
<b>Unit Price with VAT (Rs)</b>		
<b>Total Price with VAT (Rs)</b>		

**(19.) Semen Straw Freezing Rack (Fixed rack 200-250 straws) - (10 Numbers)**

<b>Specification</b>	<b>Bidder's response (Yes / No)</b>	<b>If No, comments</b>
<ul style="list-style-type: none"><li>• Constructed from high grade stainless steel or aluminum.</li></ul>		
<ul style="list-style-type: none"><li>• Design to hold 0.25ml semen straws securely.</li></ul>		
<ul style="list-style-type: none"><li>• Capacity -200 – 250 Straws / rack</li></ul>		
<b>Warranty Period</b>		
<b>Make/Model</b>		
<b>Country of origin</b>		
<b>** Sample should be submitted within two (02) weeks of bid opening date. Otherwise bidding documents will be rejected after due date **</b>		
<b>Unit Price without VAT (Rs)</b>		
<b>Total Price without VAT (Rs)</b>		
<b>Unit Price with VAT (Rs)</b>		
<b>Total Price with VAT (Rs)</b>		

**(20.) Liquid Nitrogen Ranger - (01 Numbers)**

<b>Specification</b>	<b>Bidder's response (Yes / No)</b>	<b>If No, comments</b>
<ul style="list-style-type: none"><li>• Effective volume – 220L</li></ul>		
<ul style="list-style-type: none"><li>• Gross Weight (With Liquid Nitrogen) – Approximately 275kg</li></ul>		
<ul style="list-style-type: none"><li>• Working pressure – 2.5 bar</li></ul>		
<ul style="list-style-type: none"><li>• Self-pressurized with float type liquid level meter</li></ul>		
<ul style="list-style-type: none"><li>• Material- High quality stainless steel</li></ul>		
<ul style="list-style-type: none"><li>• With filling / discharge valve, pressure relief valve &amp; vaporize valve</li></ul>		
<ul style="list-style-type: none"><li>• Pressure building regulator available for automatic filling application.</li></ul>		
<ul style="list-style-type: none"><li>• Liquid Nitrogen supply to other container or equipment (Biological freezer)</li></ul>		
<ul style="list-style-type: none"><li>• Dual pressure relief valve design for safety.</li></ul>		
<b>Warranty Period</b>		
<b>Make/Model</b>		
<b>Country of origin</b>		
<b>** Sample should be submitted within two (02) weeks of bid opening date. Otherwise bidding documents will be rejected after due date **</b>		
<b>Unit Price without VAT (Rs)</b>		
<b>Total Price without VAT (Rs)</b>		
<b>Unit Price with VAT (Rs)</b>		
<b>Total Price with VAT (Rs)</b>		

**(21.) Oxygen Detector - (04 Numbers)**

<b>Specification</b>	<b>Bidder's response (Yes / No)</b>	<b>If no, comments</b>
<ul style="list-style-type: none"><li>Detection Range – (0–25)% O<sub>2</sub> (as Oxygen deficiency can occur in this rang)</li></ul>		
<ul style="list-style-type: none"><li>Accuracy - ±1% of full scale to ensure precise measurements of Oxygen levels.</li></ul>		
<ul style="list-style-type: none"><li>Alarm System: Dual-Level Alarms: Audible and Visual alarm to alert low &amp; critically low oxygen levels.</li></ul>		
<ul style="list-style-type: none"><li>Visual Indicators: LED or LCD display with clear indication of Oxygen levels, preferably with a tri-color display that changes color based on Oxygen concentration.</li></ul>		
<ul style="list-style-type: none"><li>Sensor Type: Long life zirconium oxide sensor</li></ul>		
<ul style="list-style-type: none"><li><b>Location</b> – Wall mounted Oxygen Detector</li></ul>		
<b>Warranty Period</b>		
<b>Make/Model</b>		
<b>Country of origin</b>		
<b>** Sample should be submitted within two (02) weeks of bid opening date. Otherwise bidding documents will be rejected after due date **</b>		
<b>Unit Price without VAT (Rs)</b>		
<b>Total Price without VAT (Rs)</b>		
<b>Unit Price with VAT (Rs)</b>		
<b>Total Price with VAT (Rs)</b>		

**(22.) PH Meter - (01 Numbers)**

<b>Specification</b>	<b>Bidder's response (Yes / No)</b>	<b>If No, comments</b>
• Description – Hand-held Meter with pH Probe		
• Meter type – Portable		
• Display type – LCD		
• pH range – (0 – 14)		
• pH resolution –(0.01 - 0.1)		
• pH accuracy - $\pm(0.01)$ pH		
• Buffer recognition – NIST and USA		
• Calibration - Up to 5 points		
• mV resolution - 1 mV		
• mV accuracy - $\pm(0.2)$ mV or 0.05%, whichever is greater		
• Min Temperature (Degree C) – (-10)		
• Max Temperature (Degree C) - 110		
• Temperature compensation – Automatic		
• Battery - 4 x AAA batteries (included)		
• Width (cm) - 8.5725 (approximately)		
• Height (cm) - 4.28625(approximately)		
• Height (Inch Short) - 1.6875(approximately)		
• Width (Inch Short) - 3.375(approximately)		
<b>Warranty Period</b>		
<b>Make/Model</b>		
<b>Country of origin</b>		
<b>** Sample should be submitted within two (02) weeks of bid opening date. Otherwise bidding documents will be rejected after due date **</b>		
<b>Unit Price without VAT (Rs)</b>		
<b>Total Price without VAT (Rs)</b>		
<b>Unit Price with VAT (Rs)</b>		
<b>Total Price with VAT (Rs)</b>		

**(23.) Liquid Nitrogen Measuring Stick- (300 Numbers)**

<b>Specification</b>	<b>Bidder's response (Yes / No)</b>	<b>If No, comments</b>
<ul style="list-style-type: none"><li>• Dipstick for Liquid Nitrogen tank</li></ul>		
<ul style="list-style-type: none"><li>• Length – 1m (100 cm)</li></ul>		
<ul style="list-style-type: none"><li>• Width–3.2cm (approximately)</li></ul>		
<ul style="list-style-type: none"><li>• Typically made of a low temperature resistant material like a plastic or stainless steel to prevent cracking or deformation under the cryogenic condition.</li></ul>		
<b>Make/Model</b>		
<b>Country of origin</b>		
<b>** Sample should be submitted within two (02) weeks of bid opening date. Otherwise bidding documents will be rejected after due date **</b>		
<b>Unit Price without VAT (Rs)</b>		
<b>Total Price without VAT (Rs)</b>		
<b>Unit Price with VAT (Rs)</b>		
<b>Total Price with VAT (Rs)</b>		

**(24.) Stop Watch (Digital) - (750 Numbers)**

<b>Specification</b>	<b>Bidder's response (Yes / No)</b>	<b>If No, comments</b>
• Resolution- 1/100 second.		
• Power -battery operated		
• Water resistant, plastic or metal case.		
• Should include neck strap for easy use.		
• Display- hours, minutes, seconds		
<b>Warranty Period</b>		
<b>Make/Model</b>		
<b>Country of origin</b>		
<b>** Sample should be submitted within two (02) weeks of bid opening date. Otherwise bidding documents will be rejected after due date **</b>		
<b>Unit Price without VAT (Rs)</b>		
<b>Total Price without VAT (Rs)</b>		
<b>Unit Price with VAT (Rs)</b>		
<b>Total Price with VAT (Rs)</b>		